

DSP3011 Ceiling Speaker



Features

- 3" 6W ceiling speaker, 70V/100V
- High quality paper to create clear and resonant sound and high sensitivity
- Neat and fashionable design with aluminum grille
- Applicable for public address and background music in schools, stadiums, parks, train stations, airports and shopping malls

Description

The DSP3011 is a ceiling speaker with a built in 70V/100V transformer. The 70V/100V transmission is realized in a high-voltage, low-current mode, which makes longer distance transmission and parallel connection of multiple loudspeakers possible.

The built-in 3" speaker driver is designed of wide frequency response 120-20,000Hz, the multiple terminals of 6W can be applied to different occasions varied in area sizes and background noises. It is made of high quality engineering plastic, long-term durability, never out of shape and fading; Spring clip clamp makes the easy and secure installation; Driver surround excellent damping, long life, with clear and sonorous sound.

Specification

Item	Specification
Unit Driver	3" *1
Rated Power (RMS)	6W
Working Voltage	70V/100V
Sensitivity (1m, 1W)	88dB ± 2dB
MAX. SPL. (1m)	95dB ± 2dB
Freq. Resp.	120Hz ~ 20kHz
Product Dimension (W*H)	φ 104*76mm
Net Weight	0.5kg